PoPipe Industrial Co., Ltd Product Catalog

(Brief Version)

PVC PIPE CUTTER (O.D 32~38mm, 1 1/4~1 3/8inch)



Specification:

•Model number: PO-100

•Design for max O.D 32mm plastic pipe-with one

stroke operation

Blade: high carbon steel blade
HRC: 54~56 after heat treated

Aluminum casting constructed body

•Replacement blade is avaliable

•Made in Taiwan



Specification:

•Model number: PO-738

•Design for max O.D 38mm plastic pipe

Blade: high carbon steelRatcheted mechanism

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Made in Taiwan



Specification:

•Model number: PO-738A

•Design for max O.D 38mm plastic pipe-with one stroke operation

•Blade: high carbon steel / V-shaped blade available

•Ratcheted mechanism

•Quick blade release mechanism

Tool free blade installation

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Made in Taiwan

PVC PIPE CUTTER (O.D 40~42mm, 1 1/2~1 5/8inch)



Specification:

•Model number: PO-742A

•Design for max O.D 42mm plastic pipe

Blade: high carbon steelRatcheted mechanism

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Made in Taiwan



Specification:

•Model number: PO-742B

•Design for max O.D 40mm plastic pipe

Blade: high carbon steelRatcheted mechanism

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Made in Taiwan



Specification:

•Model number: PO-742C/PO-742V

 Design for max O.D 42mm plastic pipe-curved shape blade for extra durability-great for cutting thick wall pipe

•Blade: high carbon steel / V-shaped & C-shaped blade available

Ratcheted mechanism

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Made in Taiwan

PVC PIPE CUTTER (O.D 40~42mm, 1 1/2~1 5/8inch)



Specification:

•Model number: PO-742L

•Design for max O.D 42mm plastic pipe

Blade: high carbon steelRatcheted mechanism

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Made in Taiwan



Specification:

•Model number: PO-742D

•Designed for cut SCH 80/40 pipe (PPR, rubber hoses, plasic hose, PVC and PEX)

•MAX OD 42mm or 1 5/8"

•Blade: high carbon steel / V-shaped blade available

•Ratcheted mechanism

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Quick handle release mechanism

•Tool-free blade exchange

•Made in Taiwan

PVC PIPE CUTTER (O.D 48~63mm, 1 5/8~2 1/2nch)



Specification:

•Model number: PO-748

•Design for max O.D 48mm plastic pipe

Blade: high carbon steelRatcheted mechanism

•HRC: 54~56 after heat treated

•Aluminum casting constructed body

•Made in Taiwan



Specification:

•Model number: PO-750

•Design for max O.D 63mm plastic pipe

•Blade: high carbon steel / V-shaped blade available

•Ratcheted mechanism

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Made in Taiwan



Specification:

•Model number: PO-750RV

•Design for max O.D 63mm plastic pipe

•Quick blade release mechanisim

•Blade: high carbon steel / V-shaped blade available

•Ratcheted mechanism

One-hand operation

•HRC: 54~56 after heat treated

Aluminum casting constructed body

•Made in Taiwan

Plastic Rivet Gun & Rivets

Model number: PO-703A


INSTRUCTION

This long-reach tool is just what today's professional needs for hard-to-reach spots, especially in automotive applications such as flexible bumpers, wheel wells, license plate brackets and bumper reinforcements. In addition to the tool's long reach, it offers one-stroke setting and a universal nosepieces that sets all plastic rivets.

APPLICATION

- Fascia strips
- grill attachments
- License plate brackets
- Flexible bumpers
- Wheel wells
- Exterior molding
- High mount stop light
- Door panel attachments





PLASTIC RIVETS TYPE

Model A" 5.0mm x 15.8mm.

Hole size requirement 5.0mm Grip range (material thickness) 1.5mm – 4.5mm Head thickness 3.3mm

Model C" 6.3mm x 25.2mm.

Hole size requirement 6.3mm Grip range (material thickness) 4.0mm - 10.0mm Head thickness 2.5mm

Model B" 5.0mm x 17.2mm.

Hole size requirement 5.0mm Grip range (material thickness) 3.0mm – 6.0mm Head thickness 1.8mm

Model D" 6.6mm x 17.2mm.

Hole size requirement 6.6mm Grip range (material thickness) 2.5mm – 5.0mm Head thickness 2.5mm



Model number: PO-703T

This plastic rivet setter delivers the extra-long pulling stroke needed to set plastic rivets. Its all-steel construction and full-size handles make for smooth easy operation.

The tool is packaged in a reusable, heavy-duty vinyl pouch.

Length:230mm Weight:0.403kg Hole Size:5.0mm